

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

GHS Product Code: C258-A-0C0
 Product Name: CORCHEM® 258 SOLVENTLESS NOVOLAC [1:1] COMPONENT A, COLOR: CLEAR
 Recommended Use: INDUSTRIAL PROTECTIVE COATING/LINING
 Restrictions on Use: INTENDED FOR PROFESSIONAL USE ONLY
 Manufacturer: CORCHEM MANUFACTURING, INC.
 1227 SOUTH MURPHY STREET
 Address: ODESSA TEXAS, USA 79766-8811
 Phone: +1-432-332-7207 Fax: 1+432-332-7209
 Emergency Phone: INFOTRAC +1-352-323-3500 (U.S. Toll Free: 800-535-5053)
 Contract No.: 74435
 Revision: 3-10162015

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

- Category 1 Skin sensitization
- Category 2 Skin irritation
Acute aquatic toxicity
Chronic aquatic toxicity
- Category 2B Eye irritation

NFPA Rating
 Health: 1
 Flammability: 2
 Physical Hazard: 0

HMIS
 Health: 2
 Flammability: 1
 Physical Hazard: 0
 Personal Protection: D

GHS Label elements, including precautionary statements

Hazard Pictograms



Signal word: **Warning**

GHS Hazard statement(s)

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H320: Causes eye irritation.
- H401: Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

- P102: Keep out of reach of children.
- P202: Do not handle until all safety precautions have been read and understood.
- P233: Keep container tightly closed.
- P234: Keep only in original container.
- P264: Wash skin thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P273: Avoid release to the environment.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P281: Use personal protective equipment as required.

PERSONAL PROTECTION INDEX													
A	Goggles	G	Goggles + Gloves + Respirator										
B	Goggles + Gloves	H	Goggles + Gloves + Apron + Respirator										
C	Goggles + Gloves + Apron	I	Goggles + Gloves + Respirator										
D	Goggles + Gloves + Apron	J	Goggles + Gloves + Apron + Respirator										
E	Goggles + Gloves + Respirator	K	Goggles + Gloves + Apron + Respirator										
F	Goggles + Gloves + Apron + Respirator	X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions										
A	Safety Glasses	n	Splash Goggles	o	Face Shield & Eye Protection	p	Gloves	q	Boots	r	Synthetic Apron	s	Full Suit
t	Dust Respirator	u	Vapor Respirator	w	Dust & Vapor Respirator	y	Full Face Respirator	z	Airline Hood or Mask	Additional information			



2012 ERG GUIDEBOOK # 159

P301 + P310:	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303 + P361 + P353:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362:	Take off contaminated clothing and wash before reuse.
P370 + P378:	In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam to extinguish.
P391:	Collect spillage.
P401:	Store protected at temperatures between 40°F (4°C) and 100°F (38°C).
P403:	Store in a well ventilated place.
P410:	Protect from sunlight.
P501:	Dispose of contents/container to comply with the requirements of environmental protection and waste disposal legislation and any regional, local authority requirements.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient(s)</u>	<u>CAS No.</u>	<u>% (by Weight)</u>
Phenol, polymer with formaldehyde, glycidylether	28064-14-4	>80
Confidential Business Information (CBI) [NOT REGULATED]	MIXTURE	<20

SECTION 4: FIRST AID MEASURES

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Skin

Remove contaminated clothing. Flush exposed area with large amounts of water. If skin is damaged, seek immediate medical attention. If skin is not damaged and symptoms persist, avoid further exposure, seek medical attention. Launder clothing before reuse.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If not breathing, if breathing is irregular, or if respiratory arrest occurs, artificial respiration or oxygen should be administered by trained personnel only. It may be dangerous to provide mouth-to-mouth resuscitation. Keep person warm and quiet; seek immediate medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain open airway. Loosen tight clothing such as a collar, tie, belt, or waistband. Get medical attention if adverse health effects persist or are severe.

Eyes

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids open; seek immediate medical attention.

Protection of first aid personnel

No action shall be taken involving any personal risk without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, wear gloves.

Notes to Physicians or First Aid providers

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, dry chemicals, dry sand, and Limestone powder.

Unsuitable extinguishing media

High volume water jet.

Specific hazards and by-products from combustion

Burning produces noxious and toxic fumes. Downwind personnel must be evacuated. Decomposition products may be toxic and include the following materials: carbon dioxide, carbon monoxide, aldehydes, Formaldehyde, and various hydrocarbons. Fumes and vapors from the thermal and chemical decompositions vary widely in combustion and toxicity.

Special protective equipment and precautions for fire-fighters

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

THIS MATERIAL IS TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS, CONTAMINATED FIRE EXTINGUISHING MEDIA MUST NOT BE DISCHARGED INTO WATERWAYS, SEWERS, DRAINS, OR THE ENVIRONMENT. FIRE RESIDUES AND CONTAMINATED FIRE EXTINGUISHING MEDIA MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

Flash point

Closed cup: >392° F (>200° C) [DIN 51758 EN 22719 (Pensky-Martens Closed Cup)]

Explosive limit

Not established

Autoignition temperature


Not Established

Fire and explosion hazards

Water may be ineffective for extinguishment unless used under favorable conditions by experienced fire fighters. In a fire or if heated, a pressure increase will occur and the container may burst. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes. Cool storage with water, if exposed to fire.

NFPA Rating

Health:	2
Flammability:	1
Reactivity:	0
Special:	



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions

No action shall be taken involving personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

COLLECT CONTAMINATED MATERIAL SEPARATELY. RESIDUES AND CONTAMINATED MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

Small Spill

Stop leak if without risk. Dilute with water and mop up if water soluble or absorb liquid with a dry, inert, non-combustible, absorbent material such as: sand, diatomaceous earth, vermiculite, or other absorbent material. Persons not wearing proper personal protective equipment should be excluded from area of spill.

COLLECT CONTAMINATED CLEAN-UP MATERIALS SEPARATELY. RESIDUES AND CONTAMINATED CLEAN-UP MATERIALS MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

Large Spill

Stop leak if without risk. Move containers from spill area. Prevent run-off to sewers, water courses basements, or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with a dry, inert, non-combustible, absorbent material such as: sand, diatomaceous earth, vermiculite, or other absorbent material and place in container for disposal according to local regulations (see section 13). Dispose via a licensed waste disposal contractor. **Contaminated absorbent material may pose the same hazard as the spilled product.** If run-off occurs, notify proper authorities as required, that a spill has occurred. Note: see section 1 for emergency contact information and section 13 for waste disposal.

COLLECT CONTAMINATED CLEAN-UP MATERIALS SEPARATELY. RESIDUES AND CONTAMINATED CLEAN-UP MATERIALS MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL REGULATIONS.

SECTION 7: HANDLING AND STORAGE

Handling

Wear appropriate personnel protective equipment (see section 8). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face prior to eating, drinking, and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in a dry, cool, climate controlled area between 40°F (8°C) and 100°F (38°C), away from incompatible materials (see section 10), food and drink. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Other Precautions

Consult local, state and federal hazardous waste regulators before disposing of waste materials.

Can cause skin irritation, eye irritation, and allergic skin reaction. Avoid contact with eyes, skin, and clothing. Wash thoroughly after using. **DO NOT TAKE INTERNALLY! HARMFUL IF SWALLOWED! FOR PROFESSIONAL USE ONLY.** Use protective skin cream such as FEND2 (MSA) where skin contact is likely. Prevent prolonged or repeated breathing of vapor, or spray mists. Liquid penetrated shoes and leather, causing delayed irritation or skin reactions. **KEEP OUT OF REACH OF CHILDREN. DO NOT HANDLE UNTIL THE MANUFACTURER'S INSTRUCTIONS AND SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD!** Contact manufacturer if further information is required.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit(s)

Contains no substances with occupational exposure limit values

Consult local authorities for acceptable exposure limits.

Respiratory Protection

Where risk assessment shows air-purifying respirators are appropriate when utilizing this material wear a NIOSH approved full-face cartridge respirator or gas mask suitable to keep airborne mists and vapor concentration below the time-weighted threshold limit values. **WHEN USING IN POORLY VENTILATED OR CONFINED SPACES, USE A FRESH-AIR SUPPLYING RESPIRATOR OR A SELF-CONTAINED BREATHING APPARATUS.**

Skin Protection

To prevent repeated or prolonged skin contact, wear appropriate safety garments such as impervious gloves, head/neck covers, aprons, jackets, pants, coveralls, and boots. Replace defective PPE and/or spoiled garments/boots.

Eye Protection

Chemical splash goggles and face shield in compliance with OSHA regulations are advised for eye protection. Provide readily accessible eye wash stations and safety showers.

Engineering Controls

Use explosion-proof suction type exhaust fans and blowers with sufficient CFM capacity to keep solvent vapors below 20% of the explosive limit. Provide sufficient mechanical ventilation to maintain exposure below TLV(s).

Provide readily accessible eye wash stations and safety showers.

Exposure Guidelines

Consult local authorities for acceptable exposure limits

Other Protective Clothing or Equipment

Use protective barrier creams on exposed skin areas.

Work Hygienic Practices

As with all products of this nature, good personal hygiene is essential. Hands and other exposed areas should be washed thoroughly with soap and water after contact, and before eating, drinking, using tobacco products, or restrooms. Regular laundering and/or replacement of contaminated clothing is essential to reduce indirect skin contact

with this material.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Viscous clear liquid.
Odor:	Slight.
Odor Threshold:	Not available.
pH:	Not available.
Melting Point / Freezing Point:	Not available.
Initial Boiling Point and Range:	>392°F (>200°C)
Flash Point:	Closed cup: >392° F (>200° C)
Evaporation Rate:	Not available.
Flammability (solid, gas):	Not applicable.
Upper/Lower flammability or explosive limits:	Not available.
Vapor Pressure:	< 0.001 mmHg at 68°F (20°C)
Vapor Density:	Not available.
Relative Density:	Not available.
Solubility:	Insoluble in water.
Partition coefficient: <i>n</i>- octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition Temperature:	Not available.
Volatile Organic Compounds (VOC):	0.00 lbs. per gallon
Percent solids by weight:	100.00
Percent solids by volume:	100.00
Specific Gravity:	1.190 @ 68.0° F (20.00° C)
Weight per gallon:	9.993 @ 68.0° F (20.00° C)

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal conditions.

Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid, Incompatibility (Material to Avoid):

No data available.

Hazardous Polymerization:

Under normal conditions of storage and use, hazardous polymerization will not occur.

Hazardous Decomposition or By-Products:

Carbon monoxide, carbon dioxide, aldehydes.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological Information

Likely routes of exposure and potential health effects

Inhalation: No known effects or critical hazards.

Ingestion: If ingested, irritating to mouth, throat, and stomach.

Skin: In contact with skin, causes skin irritation. May cause allergic skin reaction. Adverse symptoms may include irritation and/or redness. May cause sensitization by skin contact.

Eyes: In contact with eyes, causes eye irritation. Adverse symptoms may include pain, irritation, watering, and/or redness.

Acute Toxicity Data

Product/ingredient name	Method	Species	Dose	Exposure	Result
Phenol, polymer with formaldehyde, glycidylether	OECD 402 Oral	Rat	>5,000 mg/kg	4 h	–
Phenol, polymer with formaldehyde, glycidylether	OECD 402 Dermal	Rabbit	>2,000 mg/kg	4 h	–
Phenol, polymer with formaldehyde, glycidylether	OECD 403 Inhalation		No data		–

OECD: Organization for Economic Cooperation and Development.

Skin corrosion / irritation

No additional data.

Serious eye damage / irritation

No additional data. May cause eye irritation.

Respiratory or skin sensitization

Once sensitized, a severe allergic skin reaction may occur when subsequently exposed to very low levels.

Germ cell mutagenicity

No known significant effects or critical hazards on the product itself.

Component	Test	Result
Phenol, polymer with formaldehyde, glycidylether	No data available.	

OECD: Organization for Economic Cooperation and Development.
LOEL: "Lowest-observed-effect-level".
NOAEL: "No-observed-adverse-effect level".

Carcinogenicity

Component	Classification	Listing Body
Phenol, polymer with formaldehyde, glycidylether	Not Listed	IARC
Phenol, polymer with formaldehyde, glycidylether	Not Listed	NTP

IARC: World Health Organization's (WHO) International Agency for Research on Cancer.

NTP: U.S. Department of Health and Human Services' (DHHS) National Toxicology Program.

Reproductive toxicity

No known significant effects or critical hazards on the product itself.

Component	Test	Result
Phenol, polymer with formaldehyde, glycidylether	OECD 416	Negative

OECD: Organization for Economic Cooperation and Development.
LOEL: "Lowest-observed-effect-level".
NOAEL: "No-observed-adverse-effect level".

Specific Target Organ Toxicity, Single Exposure (STOT-SE)

Material not classified as STOT-SE hazard.

Specific Target Organ Toxicity, Repeated Exposure (STOT-RE)

Material not classified as STOT-RE hazard.

Aspiration hazard

Material not classified as Aspiration hazard.

Potential chronic health effects

No known significant effects or critical hazards on the product itself.

Component	Test	Endpoint	Species	Result
Phenol, polymer with formaldehyde, glycidylether	OECD 403 (inhalation)	NOAEL	Rat	No data.
Phenol, polymer with formaldehyde, glycidylether	OECD 404 (dermal)	LOEL	Rabbit	0.5 mg/kg
Phenol, polymer with formaldehyde, glycidylether	OECD 405 (ocular)	LOEL	Rabbit	100 mg/kg
Phenol, polymer with formaldehyde, glycidylether	OECD 408 (oral)	NOAEL	Rat	No data

OECD: Organization for Economic Cooperation and Development.

LOEL: "Lowest-observed-effect-level".

NOAEL: "No-observed-adverse-effect level".

SECTION 12: ECOLOGICAL INFORMATION

Environmental effects

No data on the product itself. May be harmful to the environment if released in large quantities.

Ecotoxicity

Aquatic Toxicity

Toxicity to Fish

Product/ingredient name	Test	Species	Dose	Exposure
Phenol, polymer with formaldehyde, glycidylether	LC ₅₀	Leuciscus idus (golden orfe)	0.55 mg/l	96 h

Toxicity to aquatic invertebrates

Product/ingredient name	Test	Species	Dose	Exposure
Phenol, polymer with formaldehyde, glycidylether	EC ₅₀	Daphnia magna (water flea)	1.6 mg/l	48 h

Persistence and degradability

Product/ingredient name	Test	Concentration	Result
Phenol, polymer with formaldehyde, glycidylether	Anaerobic 28 – days	0%	Not readily biodegradable

Bioaccumulative potential

Product/ingredient name	Log K _{ow}	BCF	Potential
Phenol, polymer with formaldehyde, glycidylether	3.6	–	Low

Mobility in soil

Product/ingredient name

Phenol, polymer with formaldehyde, glycidylether Slight mobility

SECTION 13: DISPOSAL CONSIDERATIONS


Waste Disposal Method

EMPTY CONTAINERS RETAIN PRODUCT RESIDUE AND CAN BE HAZARDOUS. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID, AND/OR SOLID), ALL HAZARD PRECAUTIONS GIVEN IN THE SAFETY DATA SHEET (SDS) MUST BE OBSERVED. Consult local, state, and federal hazardous waste regulators before disposing of waste materials. The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. **DISPOSE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS ONLY.**

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin solution)	
Hazard Class	9	
ID Number	UN3082	
Packing Group	III	
Emergency Contact	INFOTRAC	+1-352-323-3500 (U.S. Toll Free: 800-535-5053)



HMIS	
2	Health
1	Flammability
0	Physical Hazard
D	Personal Protection



TRANSPORT CANADA

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin solution)
Hazard Class 9
ID Number UN3082
Packing Group III
Emergency Contact INFOTRAC +1-352-323-3500 (U.S. Toll Free: 800-535-5053)

IMO/IMDG

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin solution)
Hazard Class 9
ID Number UN3082
Packing Group III
Emergency Contact INFOTRAC +1-352-323-3500 (U.S. Toll Free: 800-535-5053)
Stowage Location A
EmS Fire / EmS Spill F-A / S-F

IATA/DGR

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s. (Bisphenol F epoxy resin solution)
Hazard Class 9
ID Number UN3082
Packing Group III
Emergency Contact INFOTRAC +1-352-323-3500 (U.S. Toll Free: 800-535-5053)
Passenger and Cargo Aircraft Quantity limitation: 118.9 US-Gal (450 L)
Packaging instruction: Y964
Special Provision: A97, A158, A197
Cargo Aircraft Only Quantity limitation: 118.9 US-Gal (450 L)
Packaging instruction: 964
Special Provision: A97, A158, A197

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Nombre propio del transporte Ambientalmente sustancia peligrosa, liquid, nos (Bisfenol F solución de resina epoxi)
Clase de peligro 9
Número de identificación del UN3082
Grupo de embalaje III
Contacto de Emergencia INFOTRAC +1-352-323-3500 (U.S. Toll Free: 800-535-5053)

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

U.S. Department of Labor, Occupational Safety & Health Administration (OSHA)

Hazard Communication Standard (HCS) Classification: See Section 2 above
Effective 26 March 2012, OSHA modified its Hazard Communication Standard (HCS), **29 CFR Parts 1910, 1915, and 1926**, to conform to the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Emergency Planning and Community Right-to-Know Act (EPCRA)
42 U.S. Code, Chapter 116

Sections: 302/304 Extremely Hazardous Substances (EHS):

Extremely Hazardous Substances (EHSs), (40 CFR Part 302, Table 302.4)

Ingredient(s) CAS No.
— —

311/312 Hazard Categories

Extremely Hazardous Substances (EHSs), (40 CFR Part 355, Appendix A and Appendix B)

Category A:	Immediate (Acute) Health Hazard:	Yes
Category D:	Delayed (Chronic) Health Hazard:	No
Category F:	Fire Hazard:	No
Category R:	Reactive Hazard:	No
Category S:	Sudden Release of Pressure Hazard:	No

<u>Ingredient(s)</u>	<u>CAS No.</u>	<u>Category</u>
Phenol, polymer with formaldehyde, glycidylether	28064-14-4	A

Section: 313 Toxics Release Inventory (TRI) Reportable Ingredients:

Extremely Hazardous Substances (EHSs), (40 CFR Part 372, Subpart D)

Ingredient(s) CAS No.
— —

Clean Air Act

42 U.S. Code, Chapter 85

Section 111 Volatile Organic Compound (VOC) Content Limits:

40 CFR Part 59, Subpart D, Table 1

Volatile Organic Compounds (VOC): 0.00 g/l, (0.00 lb/gal)

Section 112(b) Hazardous Air Pollutants (HAPs):

42 U.S. Code § 7412 - Hazardous air pollutants

Ingredient(s) CAS No.
— —

Ozone Depleting Substances (ODS):

42 U.S. Code § 7671a - Listing of class I and class II substances

Ingredient(s) CAS No.
— —

PRODUCT SPECIFIC HEALTH AND SAFETY DATA IN OTHER SECTIONS OF THIS SAFETY DATA SHEET (SDS) MAY ALSO BE APPLICABLE FOR STATE REQUIREMENTS. FOR DETAILS ON YOUR REGULATORY REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE AGENCY IN YOUR STATE.

SECTION 16: OTHER INFORMATION

Preparation Information

This Safety Data Sheet (SDS) has been prepared by CORCHEM®.

Revision: 3-10162015 Product Code: C258-A-0C0

DISCLAIMER: All information contained herein is based upon data obtained from CORCHEM's suppliers and/or recognized technical sources.

The data in this Safety Data Sheet (SDS) relates only to the specific material designated herein and does not relate to its use in combination with any other material or in any other process.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of CORCHEM®.

